

# For Your PETS



# 常规犬笼

Regular dog cage



## 规格参数 (mm)

型号: SDSYL-01

外形尺寸: 1220 \* 700 \* 1575

上层笼: 610 \* 610 \* 700


下层笼: 610 \* 820 \* 700

接污盘: 690 \* 540 \* 45

踏脚网片: 690 \* 545 \* 10

上层笼门: 530 \* 480 \* 8

下层门: 530 \* 690 \* 8



## Specification

product model: SDSYL-01

overall dimensions: 1220 \* 700 \* 1575

Upper cage: 610 \* 610 \* 700

lower cage: 610 \* 820 \* 700

drip tray: 690 \* 540 \* 45

footrest mesh: 690 \* 545 \* 10

upper cage door: 530 \* 480 \* 8

Lower cage door: 530 \* 690 \* 8

# 五位犬笼

Five grid dog cage




## 规格参数 (mm)

型号: SDSYL-02

外形尺寸: 1500 \* 700 \* 1575

上层笼: 500 \* 610 \* 700

下层笼: 750 \* 820 \* 700



## Specification

product model: SDSYL-02

overall dimensions: 1500 \* 700 \* 1575

Upper cage : 500 \* 610 \* 700

lower cage: 750 \* 820 \* 700

# 六位犬笼

Six grid dog cage



## 规格参数 (mm)




型 号：SDSYL-03

外形尺寸：1830 \* 700 \* 1575

上层笼：610 \* 610 \* 700

下层笼：610 \* 820 \* 700



## Specification



product model: SDSYL-03

overall dimensions: 1830 \* 700 \* 1575

Upper cage : 610 \* 610 \* 700

lower cage: 610 \* 820 \* 700

# 两位豪华猫笼

Two high end cat cages




## 规格参数 (mm)



型 号：SDSYL-04

外形尺寸：1000 \* 650 \* 1765



## Specification



product model: SDSYL-04

overall dimensions: 1000 \* 650 \* 1765

# 常规猫笼


Regular cat cage



## 规格参数 (mm)

型号：SDSYL-05

外形尺寸：1220 \* 700 \* 1575



## Specification

product model: SDSYL-05

overall dimensions: 1220 \* 700 \* 1575

# 四位豪华猫笼


Four grid highend cat cage



## 规格参数 (mm)

型 号：SDSYL-06

外形尺寸：1500 \* 650 \* 1765



## Specification

product model: SDSYL-06

overall dimensions: 1500 \* 650 \* 1765

# 红外保温氧舱笼

Infrared insulated oxygen chamber cage



## 规格参数 (mm)



型号: SDSYL-07

外形尺寸: 1220 \* 700 \* 1815

上层笼: 610 \* 610 \* 700


下层笼: 610 \* 820 \* 700

接污盘: 687 \* 540 \* 45

踏脚网片: 687 \* 545 \* 10

上层笼门: 470 \* 480 \* 8

下层门: 530 \* 690 \* 8



## Specification



product model: SDSYL-07

overall dimensions: 1220 \* 700 \* 1815

Upper cage: 610 \* 610 \* 700

lower cage: 610 \* 820 \* 700

drip tray: 687 \* 540 \* 45

footrest mesh: 687 \* 545 \* 10

upper cage door: 470 \* 480 \* 8

Lower cage door: 530 \* 690 \* 8

# 红外保温氧舱猫笼

Infrared insulated oxygen cabin cat cage




## 规格参数 (mm)



型 号：SDSYL-08

外形尺寸：1220 \* 700 \* 1815



## Specification



product model: SDSYL-08

overall dimensions: 1220 \* 700 \* 1815

# 五位红外保温笼


Regular dog cage



## 规格参数 (mm)

型号: SDSYL-09

外形尺寸: 1500 \* 700 \* 1815




## Specification

product model: SDSYL-09

overall dimensions: 1500 \* 700 \* 1815

# 不锈钢压缩打针笼

Stainless steel compression injection cage



## 规格参数 (mm)



型 号：SDSYL-10  
外形尺寸：小号 700 \* 360 \* 610  
                  中号 970 \* 420 \* 800  
                  大号 1200 \* 460 \* 890

## Specification



product model: SDSYL-10  
overall dimensions: trumpet 700 \* 360 \* 610  
                          medium size 970 \* 420 \* 800  
                          large size 1200 \* 460 \* 890


# 不锈钢方管笼

Stainless steel square tube cage



## 规格参数 (mm)

型 号：SDSYL-11  
外形尺寸：小号 940 \* 600 \* 810  
          中号 1090 \* 750 \* 930  
          大号 1290 \* 750 \* 990




## Specification

product model: SDSYL-11  
overall dimensions: trumpet 940 \* 6000 \* 810  
                          medium size 1090 \* 750 \* 930  
                          large size 1290 \* 750 \* 990

# S 宠物手术台 1

Pet operating table



## 规格参数 (mm)



型 号：SDSYS-01

外形尺寸：1400 \* 670 \* 450-1050

## Specification



product model: SDSYS-01

overall dimensions: 1400 \* 670 \* 450-1050

# S 宠物手术台 2


Pet operating table



## 规格参数 (mm)



型 号：SDSYS-02  
外形尺寸：1350 \* 600 \* 450-1050




## Specification



product model: SDSYS-02  
overall dimensions: 1350 \* 600 \* 450-1050

# S V 型手术台

V-shaped operating table



## 规格参数 (mm)



型 号：SDSYS-03  
外形尺寸：1400 \* 650 \* 760-1060

## Specification



product model: SDSYS-03  
overall dimensions: 1400 \* 650 \* 760-1060

# S 恒温双向倾斜手术台


Thermostatic bidirectional tilting operating table



## 规格参数 (mm)



型 号：SDSYS-04  
外形尺寸：1500 \* 600 \* 760-1060




## Specification



product model: SDSYS-04  
overall dimensions: 1500 \* 600 \* 760-1060

# S C 型臂手术台

C-arm operating table



## 规格参数 (mm)



型 号：SDSYS-05  
外形尺寸：1500 \* 600 \* 450-1050

## Specification



product model: SDSYS-05  
overall dimensions: 1500 \* 600 \* 450-1050

# S 液压手术台


Hydraulic operating table



## 规格参数 (mm)



型 号：SDSYS-06  
外形尺寸：1400 \* 670 \* 510-900



## Specification




product model: SDSYS-06  
overall dimensions: 1400 \* 670 \* 510-900



# X 移门洗澡池

Sliding Bathing Pool



## 规格参数 (mm)



型 号：SDSYX-02  
外形尺寸：1300 \* 740 \* 1300

## Specification



product model: SDSYC-02  
overall dimensions: 1300 \* 740 \* 1300

# X 无门洗澡池


Doorless Bathing Pool



## 规格参数 (mm)



型 号：SDSYX-04  
外形尺寸：1300 \* 740 \* 1300




## Specification



product model: SDSYC-04  
overall dimensions: 1300 \* 740 \* 1300

# C 多功能处置台

Multifunctional disposal desk



## 规格参数 (mm)

型 号：SDSYC-01  
外形尺寸：常规款 1400 \* 600 \* 880  
          大号 1200 \* 600 \* 880

## Specification

product model: SDSYC-01  
overall dimensions: Regular version 1400 \* 600 \* 880  
                          large size 1200 \* 600 \* 880

# C 木架处置台


Wooden frame disposal platform



## 规格参数 (mm)



型号: SDSYC-02  
外形尺寸: 常规款 1200 \* 600 \* 880  
          大号 1400 \* 600 \* 880




## Specification



product model: SDSYC-02  
overall dimensions: Regular version 1200 \* 600 \* 880  
                          large size 1400 \* 600 \* 880

## C 处置台台面

Disposal table top



### 规格参数 (mm)



型 号：SDSYX-03  
外形尺寸：常规款 1200 \* 600 \* 180  
          大号 1400 \* 600 \* 180

### Specification



product model: SDSYC-03  
overall dimensions: Regular version 1200 \* 600 \* 180  
                          large size 1200 \* 600 \* 180

# Z 圆角宠物电动美容桌

Electric beauty table with rounded corners for pets

## 产品特性

Product Features

电动升降，高度任意调节，防滑桌面，干净不粘毛，龙门架固定，宠物皆可使用

Electric lifting, adjustable height, anti slip tabletop, clean and non sticky, fixed gantry frame, suitable for pets to use

## 规格参数 (mm)

Specification parameters (mm)

型号：SDSYZ-01

外形尺寸：1240 \* 640 \* 320-1000

颜色：黑色、全黑、粉色

product model: SDSYZ-01

overall dimensions: 1240 \* 640 \* 320-1000

Color: Black、All Black、Pink



# Z 直角宠物电动美容桌

Right angle pet electric beauty table

## 产品特性

Product Features

电动升降，高度任意调节，防滑桌面，干净不粘毛，龙门架固定，宠物皆可使用

Electric lifting, adjustable height, anti slip tabletop, clean and non sticky, fixed gantry frame, suitable for pets to use

## 规格参数 (mm)

Specification parameters (mm)

型号：SDSYZ-02

外形尺寸：1280 \* 640 \* 320-1000

颜色：黑色、全黑、粉色

product model: SDSYZ-02

overall dimensions: 1280 \* 640 \* 320-1000

Color: Black、All Black、Pink



# Z 不锈钢宠物电动美容桌

Stainless steel pet electric beauty table

## 产品特性

Product Features

电动升降，高度任意调节，不锈钢支架，防滑桌面，干净不粘毛，龙门架固定，宠物皆可使用

Electric lifting, adjustable height, stainless steel bracket, anti slip tabletop, clean and non sticky, gantry fixed, suitable for pets to use

## 规格参数 (mm)

Specification parameters (mm)

型号：SDSYZ-03

外形尺寸：1240 \* 640 \* 340-970

product model: SDSYZ-03

overall dimensions: 1240 \* 640 \* 340-970



# Z 液压升降美容桌

Hydraulic lifting beauty table

## 产品特性

Product Features

液压升降，高度任意调节，防滑桌面，干净不粘毛，龙门架固定，宠物皆可使用

Hydraulic lifting, adjustable height, anti slip tabletop, clean and non sticky, fixed gantry frame, suitable for pets to use

## 规格参数 (mm)

Specification parameters (mm)

型号：SDSYZ-04

外形尺寸：1290 \* 640 \* 500-920

product model: SDSYZ-04

overall dimensions: 1290 \* 640 \* 500-920



# Z 圆形气动美容桌

Circular pneumatic beauty table

## ■ 产品特性

Product Features

丝滑升降，稳固不晃，防滑桌面干净不沾毛，专业美容师必备

Smooth lifting, stable without shaking, anti slip tabletop clean and free from dirt, essential for professional beauticians

## ■ 规格参数 (mm)

Specification parameters (mm)

型 号：SDSYZ-05

外形尺寸：桌面直径 600 高度 720-1150

颜 色：黑色、全黑、粉色

product model: SDSYZ-05

overall dimensions: 600 \* 720-1150

Color: Black、All Black、Pink



# Z 方形气动美容桌

Square pneumatic beauty table

## ■ 产品特性

Product Features

丝滑升降，稳固不晃，防滑桌面干净不沾毛，专业美容师必备

Smooth lifting, stable without shaking, anti slip tabletop clean and free from dirt, essential for professional beauticians

## ■ 规格参数 (mm)

Specification parameters (mm)

型 号：SDSYZ-06

外形尺寸：600 \* 450 \* 720-1150

颜 色：黑色、全黑、粉色

product model: SDSYZ-06

overall dimensions: 600 \* 450\* 720-1150

Color: Black、All Black、Pink



# Z 折叠式美容桌

Folding beauty table

## ■ 产品特性

Product Features

不锈钢支架，橡胶桌面干净不沾毛，折叠后好收纳，省空间，方便携带

Stainless steel bracket, rubber tabletop clean and lint free, easy to fold for storage and space saving, convenient to carry

## ■ 规格参数 (mm)

Specification parameters (mm)

型 号：SDSYZ-07

外形尺寸：小号 810 \* 520 \* 720

中号 950 \* 520 \* 720

大号 1100 \* 520 \* 720

product model: SDSYZ-07

overall dimensions: trumpet 810 \* 520\*720

medium size 950 \* 520\*720

large size 1100 \* 520\*720



# D LED 无影灯

LED shadowless light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD-LED 圆形 500

照度 (可调) 30,000-160,000Lux

灯泡数量 48 颗

灯泡类型 LED

灯泡平均寿命  $\geq 80,000$ h

色温 (可调) 3700K~5000K

显示指数 (可调) 95

聚焦深度 50-180cm

光斑直径 160-280mm (可调)

亮度调节 1%-100%

安装高度: 2700-3000mm

product model: LED circular 500

Illuminance (adjustable) 30000-160000Lux

48 light bulbs in total

Light bulb type LED

The average lifespan of light bulbs is  $\geq 80000$  hours

Color temperature (adjustable) 3700K~5000K

Display index (adjustable) 95

Focus depth 50-180cm

Spot diameter 160-280mm (adjustable)

Brightness adjustment 1% -100%

Installation height: 2700-3000mm



# D LED 无影灯

LED shadowless light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD-LED 圆形 700

照度 (可调) 40,000-180,000Lux

灯泡数量 80 颗

灯泡类型 LED

灯泡平均寿命  $\geq 80,000$ h

色温 (可调) 3700K~5000K

显示指数 (可调) 95

聚焦深度 50-180cm

光斑直径 160-280mm

亮度调节 1%-100%

安装高度 :2700-3000mm

product model: LED circular 700

Illuminance (adjustable) 40000-180000Lux

Number of bulbs 80

Light bulb type LED

The average lifespan of light bulbs is  $\geq 80000$  hours

Color temperature (adjustable) 3700K-5000K



Display index (adjustable) 95

Focus depth 50-180cm

Spot diameter 160-280mm

Brightness adjustment 1% -100%

Installation height: 2700-3000mm

# D LED无影灯

LED shadowless light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD-LED 圆形 700+500

照度 (可调) 40,000-180,000Lux 30,000-160,000Lux

灯泡数量 80 颗 / 48 颗

灯泡类型 LED LED

灯泡平均寿命  $\geq 80,000$ h  $\geq 80,000$ h

色温 (可调) 3700K ~ 5000K 3700K ~ 5000K

显示指数 (可调) 95

聚焦深度 50-180cm 50-180cm

光斑直径 160-280mm 160-280mm

亮度调节 1%-100% 1%-100%

安装高度: 2700-3000mm

product model: SDSYD-LED Circular 700+500

Illuminance (adjustable) 40000-180000Lux 30000-160000Lux

Number of bulbs 80/48

Light bulb type LED/LED

The average lifespan of light bulbs is  $\geq 80000$ h  $\geq 80000$ h

Color temperature (adjustable) 3700K-5000K 3700K-5000K



Display index (adjustable) 95

Focus depth 50-180cm 50-180cm

Spot diameter 160-280mm 160-280mm

Brightness adjustment 1% -100% 1% -100%

Installation height: 2700-3000mm

# D LED 无影灯

LED shadowless light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD-LED 花瓣 5

照度 (可调) 40,000-180,000Lux

灯泡数量 61 颗

灯泡类型 LED

灯泡平均寿命  $\geq 80,000$ h

色温 (可调) 3700K~5000K

显示指数 (可调) 95

聚焦深度 50-180cm

光斑直径 160-280mm

亮度调节 1%-100%

安装高度 :2700-3000mm

product model: SDSYD-LED Petals 5

Illuminance (adjustable) 40000-180000Lux

61 light bulbs in total

Light bulb type LED

The average lifespan of light bulbs is  $\geq 80000$  hours

Color temperature (adjustable) 3700K-5000K



Display index (adjustable) 95

Focus depth 50-180cm

Spot diameter 160-280mm

Brightness adjustment 1% -100%

Installation height: 2700-3000mm

# D LED无影灯

LED shadowless light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD-LED花瓣5+3

照度 (可调) 40,000-180,000Lux 30,000-160,000Lux

灯泡数量 61颗 39颗

灯泡类型 LED LED

灯泡平均寿命  $\geq 80,000$ h  $\geq 80,000$ h

色温 (可调) 3700K~5000K 3700K~5000K

显示指数 (可调) 95

聚焦深度 50-180cm 50-180cm

光斑直径 160-280mm 160-280mm

亮度调节 1%-100% 1%-100%

安装高度 :2700-3000mm

product model: SDSYD-LED petal 5+3

Illuminance (adjustable) 40000-180000Lux 30000-160000Lux

Number of bulbs 61/39

Light bulb type LED LED

The average lifespan of light bulbs is  $\geq 80000$ h  $\geq 80000$ h

Color temperature (adjustable) 3700K~5000K 3700K~5000K



Display index (adjustable) 95

Focus depth 50-180cm 50-180cm

Spot diameter 160-280mm 160-280mm

Brightness adjustment 1% -100% 1% -100%

Installation height: 2700-3000mm

# D LED无影灯

LED shadowless light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD-LED花瓣 5+5

照度 (可调) 40,000-180,000Lux 40,000-180,000Lux

灯泡数量 61颗 61颗

灯泡类型 LED LED

灯泡平均寿命  $\geq 80,000$ h  $\geq 80,000$ h

色温 (可调) 3700K~5000K 3700K~5000K

显示指数 (可调) 85-98 85-98

聚焦深度 50-180cm 50-180cm

光斑直径 160-280mm 160-280mm

亮度调节 1%-100% 1%-100%

安装高度 :2700-3000mm

product model: SDSYD-LED petal 5+5

Illuminance (adjustable) 40000-180000Lux 40000-180000Lux

Number of bulbs 61/61

Light bulb type LED LED

The average lifespan of light bulbs is  $\geq 80000$ h  $\geq 80000$ h

Color temperature (adjustable) 3700K~5000K 3700K~5000K



Display index (adjustable) 95

Focus depth 50-180cm 50-180cm

Spot diameter 160-280mm 160-280mm

Brightness adjustment 1% -100% 1% -100%

Installation height: 2700-3000mm

# D 检查灯

check light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD- 壁挂 300

照度 60000-80000LUX

灯泡数量 19 颗

灯泡类型 LED

灯泡平均寿命  $\geq 60000$ h

色温  $4500 \pm 500$ K

显色指数  $\geq 90$

照明深度  $\geq 1200$ mm

光斑直径 240mm

术者头部升温  $< 1^{\circ}\text{C}$

电源电压 220V/50Hz

product model: SDSYD Wall Mounted 300

Illuminance 60,000-80,000 LUX

Number of bulbs 19

Light bulb type LED

The average lifespan of the bulb is  $\geq 60,000$  hours

Color temperature  $4500 \pm 500$ K



Color rendering index  $\geq 90$

Lighting depth  $\geq 1200$ mm

Spot diameter 240mm

The temperature rise of the surgeon's head is less than  $< 1^{\circ}\text{C}$

Power supply voltage 220V/50Hz

# D 检查灯

check light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD-LED 型 移动五孔

照度 (可调) 100000-180000Lux

灯泡数量 30 颗

灯泡类型 LED

灯泡平均寿命  $\geq 30000$ h

色温  $4800 \pm 300$ K

显色指数  $\geq 90$

光柱深度  $\geq 500$ mm

光斑直径 160-220mm

术者头部升温  $< 1^{\circ}\text{C}$

电源电压 220V/50Hz

Model: SDSYD-LED type mobile five hole

Illumination (adjustable) 100000-180000 Lux

Number of bulbs 30

Light bulb type LED

The average lifespan of the bulb is  $\geq 30,000$  hours

Color temperature  $4800 \pm 300$ K

Color rendering index  $\geq 90$

Light column depth  $\geq 500$ mm

Spot diameter 160-220mm

The temperature rise of the surgeon's head is less than  $< 1^{\circ}\text{C}$

Power supply voltage 220V/50Hz



# D 检查灯

check light

## ■ 技术参数

Technical Specifications

### 型号: SDSYD- 卤素五孔

照度 60000-120000Lux

灯泡数量 5 颗

灯泡类型卤素灯泡

色温  $4800 \pm 300\text{K}$

显色指数  $\geq 90$

光柱深度  $\geq 500\text{mm}$

光斑直径 160-220mm

灯珠功率 24V25W

电源电压 220V/50Hz

Model: SDSYD Halogen Five hole

Illuminance 60,000-120,000 Lux

Number of bulbs 5

Bulb type Halogen bulb

Color temperature  $4800 \pm 300\text{K}$



Color rendering index  $\geq 90$

Light column depth  $\geq 500\text{mm}$

Spot diameter 160-220mm

LED power 24V25W

Power supply voltage 220V/50Hz

## Z 带抽屉诊疗台


Diagnosis and treatment table with drawers



### 规格参数 (mm)



型 号：SDSYZL-01  
外形尺寸：常规款 900 \* 600 \* 800  
          大号 1100 \* 600 \* 800



### Specification



product model: SDSYZL-01  
overall dimensions: Regular version 900 \* 600 \* 880  
                          large size 1100 \* 600 \* 880

# Z 称量诊疗台


Weighing and treatment table



## 规格参数 (mm)



型 号：SDSYZL-02  
外形尺寸：1000 \* 550 \* 800




## Specification



product model: SDSYZL-02  
overall dimensions: 1000 \* 550 \* 800

## Z 平面升降诊疗台

Flat lifting diagnosis and treatment table



### 规格参数 (mm)



型 号：SDSYZL-03

外形尺寸：1300 \* 600 \* 450-1000

### Specification



product model: SDSYZL-03

overall dimensions: 1300 \* 600 \* 450-1000

# Z 立柱诊疗台


Flat lifting diagnosis and treatment table



## 规格参数 (mm)



型 号：SDSYZL-04  
外形尺寸：1300 \* 600 \* 450-1000




## Specification



product model: SDSYZL-04  
overall dimensions: 1300 \* 600 \* 450-1000

# Z 立柱带称诊疗台

Column with scale diagnosis and treatment table



## 规格参数 (mm)



型 号：SDSYZL-05  
外形尺寸：900 \* 500 \* 800

## Specification



product model: SDSYZL-05  
overall dimensions: 900 \* 500 \* 800

# B 升降 B 超台


ElevatingB-ultrasoundplatform



## 规格参数 (mm)



型 号：SDSYB-01  
外形尺寸：1300 \* 600 \* 450-1000



## Specification



product model: SDSYB-01  
overall dimensions: 1300 \* 600 \* 450-1000

# B 升降 B 超台


ElevatingB-ultrasoundplatform



## 规格参数 (mm)



型 号：SDSYB-02  
外形尺寸：1300 \* 600 \* 450-1000



## Specification



product model: SDSYB-02  
overall dimensions: 1300 \* 600 \* 450-1000

# J 解剖台


Dissection table



## 规格参数 (mm)



型 号：SDSYB-02  
外形尺寸：2400\*800\*800



## Specification



product model: SDSYB-02  
overall dimensions: 2400 \* 800 \* 800